

ALL IN ONE DISASTER TRAINING KIT



PATIENTS, SCENARIOS, SOUND EFFECTS, MOULAGE AND MORE

INCLUDES 35 LIFE-SIZE PATIENTS



30 PEDIATRIC, 5 ADULT, AND 3 CANINE PATIENTS ARE FOLDABLE AND MADE OF A DURABLE WEATHER-RESISTANT MATERIAL.

INCLUDES 12 DISASTER SCENARIO PACKS



DISASTER SCENARIO BREAKDOWN

- **EF4 Tornado At The Drive-In (35 Victim MCI)**
- **Fire At A Daycare/Afterschool Program (28 Victim MCI)**
- **Elementary/Middle School Shooting (24 Victim MCI)**
- **Truck Plows Through Pizza Palace Playland (26 Victim MCI)**
- **School Bus Crashes Off Bridge Into River Below (22 Victim MCI)**
- **Airplane Crashes On Takeoff (35 Victim MCI)**



DISASTER SCENARIOS CONTINUED...

- **Sports Complex Bombing (35 Victim MCI)**
- **30 Car Pileup On The Highway (31 Victim MCI)**
- **Catastrophic Rollercoaster Collapse (29 Victim MCI)**
- **Gas Leak With Explosion At Build-A-Bunny (27 Victim MCI)**
- **Flying Bouncy Houses At Easter Picnic (19 Victim MCI)**
- **Massive 7.4 Earthquake Devastates Small Town (28 Victim MCI)**



INCLUDES 12 PACKS OF TRIAGE CARDS

Tornado MCI

#35
Age: 59-Years

Adult is lying on the ground with no visible injuries

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = NO (RR 0)
Response to Opening Airway = NONE
Palpable Peripheral Pulse = NO
Capillary Refill = > 2 SECONDS
AVPU = UNRESPONSIVE
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Truck Plows Through Pizza Palace Playground


#17
Age: 7-Years

Child is walking around with no visible injuries, asking where his parents are

Ambulatory/Able to Walk = YES
Able to Wave = YES
Breathing = YES (RR 24)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Car Pileup MCI


#3
Age: 6-Months

Child is on the ground, screaming in pain, with extensive deep burns

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = YES (RR 52)
Palpable Peripheral Pulse = YES
Capillary Refill = > 2 SECONDS
AVPU = ALERT / SCREAMING IN PAIN
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Bombing MCI


#1
Age: 3-Months

Child is on the ground, unresponsive, with two black eyes, blood on the left side of his chest and a burn on the lower right leg

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = NO (RR 0)
Response to Opening Airway = NONE
Response to 5 Rescue Breaths = NONE
Palpable Peripheral Pulse = YES
Capillary Refill = > 2 SECONDS
AVPU = UNRESPONSIVE
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Airplane Crashes on Takeoff


#26
Age: 11-Years

Child is on the ground, screaming in pain, with an impaled pipe in his right upper leg and an abrasion/laceration on the right side of the forehead

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = YES (RR 32)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT / SCREAMING IN PAIN
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Fire at a Daycare/After-school Program


#35
Age: 59-Years

Adult is lying on the ground with no visible injuries

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = NO (RR 0)
Response to Opening Airway = NONE
Palpable Peripheral Pulse = NO
Capillary Refill = > 2 SECONDS
AVPU = UNRESPONSIVE
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Bouncy Houses MCI


#11
Age: 5-Years

Child is on the ground, with decerebrate/abnormal extension posturing, and blood on her left chest/abdomen

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = YES (RR 16)
Palpable Peripheral Pulse = YES
Capillary Refill = > 2 SECONDS
AVPU = DECEREBRATE / ABNORMAL EXTENSION POSTURING
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Earthquake MCI

#33
Age: 20-Years

Adult walking around, complaining of pain in her left shoulder, but has no other visible injuries

Ambulatory/Able to Walk = YES
Able to Wave = YES
Breathing = YES (RR 20)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Rollercoaster MCI


#34
Age: 25-Years

Adult is walking around, with a burn on his upper right arm

Ambulatory/Able to Walk = YES
Able to Wave = YES
Breathing = YES (RR 24)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



School Bus MCI

#7
Age: 3-Years

Child is wandering around with no visible injuries

Ambulatory/Able to Walk = YES
Able to Wave = YES
Breathing = YES (RR 32)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Shooting MCI


#19
Age: 8-Years

Child is on the ground, with a graze wound on the left side of her forehead, and gunshot wounds to the right forearm and right knee

Ambulatory/Able to Walk = NO
Able to Wave = YES
Breathing = YES (RR 28)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = CONFUSED
Emergency Interventions = NONE

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



Explosion MCI


#23
Age: 10-Years

Child is lying on the ground, screaming in pain, with a right below the elbow amputation

Ambulatory/Able to Walk = NO
Able to Wave = NO
Breathing = YES (RR 48)
Palpable Peripheral Pulse = YES
Capillary Refill = > 2 SECONDS
AVPU = ALERT / SCREAMING IN PAIN
Emergency Interventions = TOURNIQUET

1) What is the triage color?

Triage ALL patients FIRST!
Then, come back... and flip card over...



TRiage CARDS ARE UNIQUE TO EACH SCENARIO

KIT ALSO INCLUDES



MOVABLE MOULAGE, TRIAGE ANSWER KEYS, ANSWER SHEETS,
CLIP BOARDS, PEDI-WHEELS AND TRIAGE TARPS



HOW TO SET UP ONE DISASTER SCENARIO

STEP 1 – CHOOSE A SCENARIO PACK



THE AIRPLANE CRASH

STEP 2 – MATCH ALL PATIENTS WITH SCENARIO TRIAGE CARDS



Airplane MCI

#26
Age: 11-Years

Child is on the ground, screaming in pain, with an impaled pipe in his right upper leg and an abrasion/laceration on the right side of the forehead

Ambulatory/Able to Walk = **NO**
Able to Wave = **NO**
Breathing = **YES (RR 40)**
Palpable Peripheral Pulse = **NO**
Capillary Refill = **> 2 SECONDS**
AVPU = **ALERT / SCREAMING IN PAIN**
Emergency Interventions = **NONE**

1) What is the triage color?

STOP

Triage **ALL** patients **FIRST!**
Then, come back... and flip card over...

Airplane MCI

#16
Age: 6-Years

Child is on the ground, unresponsive, with a burn on her forehead

Ambulatory/Able to Walk = **NO**
Able to Wave = **NO**
Breathing = **NO (RR 0)**
→ Response to Opening Airway = **(RR 20)**
Palpable Peripheral Pulse = **YES**
Capillary Refill = **> 2 SECONDS**
AVPU = **UNRESPONSIVE**
Emergency Interventions = **NONE**



1) What is the triage color?

STOP

Triage **ALL** patients **FIRST!**
Then, come back... and flip card over...



STEP 3 – ADD ADDITIONAL MOULAGE



MOVABLE MOULAGE

ORIGINAL

MOULAGE

FINAL STEP – GET CREATIVE



PUT OUT THE PATIENTS, SET THE SCENE, CREATE SOME CHAOS: FLIP CHAIRS, TURN OFF LIGHTS, USE SMOKE MACHINES, FLASHING LIGHTS AND THE INCLUDED SOUND EFFECTS FOR A MORE IMMERSIVE EXPERIENCE

TRAIN WITH ALL 12 DISASTER SCENARIOS




SCHOOL SHOOTING



EF4 TORNADO



GAS LEAK & EXPLOSION



FIRE AT A DAYCARE



SCHOOL BUS CRASH



SPORTS EVENT BOMBING




ADDITIONAL DETAILS

INCLUDED SOUND EFFECTS



SCENARIO



SCAN FOR 1 HOUR OF
SOUND EFFECTS PER
SCENARIO!

TRIAGE CARD BREAKDOWN (SIDE 1)

DISASTER
SCENARIO

Tornado MCI

#21

Age: 10-Years

Child is walking around with
blood on her right hand/wrist



MANI-KID #
& CARD #

PATIENT
INFORMATION

Ambulatory/Able to Walk = YES
Able to Wave = YES
Breathing = YES (RR 22)
Palpable Peripheral Pulse = YES
Capillary Refill = < 2 SECONDS
AVPU = ALERT
Emergency Interventions = NONE

TRIAGE
INFORMATION

1) What is the triage color?




QUESTION 1

Triage ALL patients FIRST!
Then, come back... and flip card over...

TRIAGE CARD BREAKDOWN (SIDE 2)

ADDITIONAL
PEDIATRIC
QUESTIONS
VARY BASED
ON PATIENT
AND
SCENARIO

Rapid Review Questions...
Answer **ONLY AFTER** triaging on other side



Side 2

Age: 8-Years

#18


2) What is the IV/IO Normal Saline (NS) or Lactated Ringer's (LR) bolus in mL for this patient?

3) What is the IV/IO dose of FentaNYL, Ketamine, **OR** Morphine that you would push SLOWLY over 3-5 minutes for this patient?

Disasters in Seconds
Disaster Drills & Triaging Tiny Traumas

Educator's Notes:
No Additional Moulage Needed

Rapid Review Questions...
Answer **ONLY AFTER** triaging on other side



Side 2

Age: 7-Years

#17

2) What is the normal heart rate for a child of this age?

3) What is the normal respiratory rate for a child of this age?

Disasters in Seconds
Disaster Drills & Triaging Tiny Traumas

Educator's Notes:
No Additional Moulage Needed

MOVABLE MOULAGE CHANGES PER SCENARIO


NO MOULAGE



Tornado MCI



School Bus MCI



Fire MCI





WHERE TO PLACE MOULAGE

**ORIGINAL MANI-KID
NO MOULAGE**



**MOULAGE FOR
TORNADO SCENARIO**




MOULAGE ID T-20

Tornado MCI



INCLUDES 12 CREDIT HOURS



PARTICIPANTS CAN RECEIVE 1 CREDIT HOUR PER SCENARIO

HAVE SPECIFIC QUESTIONS?

EMAIL US AT

INFO@PEDIED.COM